ELSEVIER

Journal of Organometallic Chemistry 523 (1996) 235

Journal of Organometallic Chemistry

Author Index of Volume 523

Ackermann, M.N., 145
Amin, N.S., 145
Ang, S.-H., 75
Avtomonov, E.V., 221

Belyakov, S., 41
Bildstein, B., 79
Brunner, H., 179

Cabeza, J.A., 127
Campi, E.M., 205
Chaloner, P.A., 23
Chang, S.-J., 47
Chen, C.-T., 47
Chen, H., 53
Churakov, A.V., 221

Declercq, J.-P., 75
Del Río, I., 127
Denifl, P., 79
Deodene, C.J., 145
Do, Y., 211

Fairbrother, W.G., 145

Gau, H.-M., 47
Głowiak, T., 63
Graupner, R., 227

Hall, C.D., 13
Hamor, T.A., 53
Han, T.K., 211
Hertel, D., 221
Hitchcock, P.B., 23
Hockless, D.C.R., 33
Hong, E., 211
Horikawa, Y., 99
Hradsky, A., 79
Hu, J., 121
Huang, X., 9, 121, 139
Humphrey, M.G., 33

Jackson, W.R., 205
Jaitner, P., 105

Karlov, S.S., 221
Keok, C.-A., 75
Kim, M.W., 211
Klintschar, G., 167
Kreißl, F.R., 105

Lai, C.-Y., 187
Lamborg, C.M., 145
Lehotkay, Th., 105
Leineweber, A., 13
Lin, C.-C., 47
Lin, G., 93
Liu, H.-J., 47
Looi, E.-S., 75
López, G., 23
Lorberth, J., 221
Lukevics, E., 41

Mabrouk, S.T., 111
Majeed, Z., 53
Martin, P.T., 145
McDonagh, A.M., 33
McWhinnie, S.L.W., 53
McWhinnie, W.R., 53
Mikk, M., 133
Motoyama, I., 153

Nuber, B., 179

Pakulski, Z., 1
Panov, D., 133
Prommesberger, M., 179
Pudova, O., 41

Rausch, M.D., 111
Reuter, H., 227
Riera, V., 127
Rodríguez, V., 23
Ruiz, J., 23

Sheldrick, W.S., 1
Shen, F., 121
Shih, W.-E., 47
Skelton, B.W., 33
Sugano, K., 197
Szymańska-Buzar, T., 63

Takayama, T., 153
Takeda, T., 99
Tanase, T., 197
Teo, S.-B., 75
Teoh, S.-G., 75
Tucker, J.H.R., 13
Tuulmets, A., 133

Uhl, W., 227

Wang, S., 121
Wang, T.-F., 187
Watanabe, M., 153
Wen, Y.-S., 187
White, A.H., 33
Whittall, I.R., 33
Widhalm, M., 167
Williams, D.J., 13
Wimmer, P., 167
Wiśniewski, K., 1
Wong, W.-T., 93
Woo, S.I., 211
Wurst, K., 79, 105

Yamamoto, Y., 197
Yang, D.Y., 139

Zaitseva, G.S., 221
Zamojski, A., 1
Zhang, W., 121
Zhu, L.-S., 9

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 523 (1996) 237–241

Journal of Organometallic Chemistry

Subject Index of Volume 523

Acetylide
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡CC$_6$H$_4$NO$_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡CC$_6$H$_4$C$_6$H$_4$NO$_2$-4,4')$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Acyl
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Acyliron complexes
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex [(η^5-C$_5$H$_5$)Fe(CO)(PPh$_3$)COCH$_2$SCH$_3$] (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Alkenyl selenides
A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Alkylselenoacetylenes
A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Alkynyl
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡CC$_6$H$_4$NO$_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡CC$_6$H$_4$C$_6$H$_4$NO$_2$-4,4')$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Alkynylamines
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Amide
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Amine
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

2-Amino-5-chlorobenzoic acid
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Annulated cyclopentadienyl
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Asymmetric allylic alkylation
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Azo complexes
Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Carbene complexes
Darstellung und Struktur kationischer η^2-Phosphinocarbenkomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Carbonyls
Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

Carboxylate
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Carbyne complexes
Darstellung und Struktur kationischer η^2-Phosphinocarbenkomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Catalysis
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Catalysts
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Chalcogen insertion
The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227

Chelation
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Chiral diphosphines
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Elsevier Science S.A.

Clemmensen reduction
Trimethylchlorosilane-modified Clemmensen reduction of metallocenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79
Clusters
Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127
Cobalt
Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197
The formation and reaction chemistry of (η^5-benzoylcyclopentadienyl)- and (η^5-carbomethoxycyclopentadienyl)(η^4-tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111
Cryptates
Cryptates from 1,1''':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13
Crystal structure
Cryptates from 1,1''':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡C$C_6H_4NO_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡C$C_6H_4C_6H_4NO_2$-4,4')$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex [(η^5-C_5H_5)Fe(CO)(PPh$_3$)$COCH_2SCH_3$] (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1
Synthesis and structural investigation of {CpPr[CH($COOC_2H_5$)$_2$][μ-CH($COOC_2H_5$)$_2$]}$_2$ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121
Cyclobutadiene
The formation and reaction chemistry of (η^5-benzoylcyclopentadienyl)- and (η^5-carbomethoxycyclopentadienyl)(η^4-tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111
Cyclopentadienyl
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187
Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5-$C_5H_4PPh_2$)$_2$Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Synthesis and structural investigation of {CpPr[CH($COOC_2H_5$)$_2$][μ-CH($COOC_2H_5$)$_2$]}$_2$ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121
The formation and reaction chemistry of (η^5-benzoylcyclopentadienyl)- and (η^5-carbomethoxycyclopentadienyl)(η^4-tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111
(Diphenylphosphino)cyclopentadienyl
Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5-$C_5H_4PPh_2$)$_2$Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Cyclopropanation
Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221

Dicyclohexylborane
A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139
Diethylene glycol dimethyl ether
Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5-$C_5H_4PPh_2$)$_2$Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Diethyl malonate
Synthesis and structural investigation of {CpPr[CH($COOC_2H_5$)$_2$][μ-CH($COOC_2H_5$)$_2$]}$_2$ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121
Dimethylacetylenedicarboxylate
Novel β-iminoenolato (or β-carbonyliminato) complexes starting from di-μ-hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of [NBu_4][(C_6F_5)$_2$Pd{N(C_6H_4OMe-p)C(CO_2Me)CHC(O)OMe}] (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23
Di-*n*-butyltin oxide
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75
Diorganotin dicarboxylate
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75
1,3-Dioxa-6-aza-2-germacyclooctane
A new pathway for the synthesis of 1,3-dioxa-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxa-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41

Electrochemistry
Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145
Europium
Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5-$C_5H_4PPh_2$)$_2$Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Ferrocene
Cryptates from 1,1''':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13
Trimethylchlorosilane-modified Clemmensen reduction of metallocenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79

Germanium
A new pathway for the synthesis of 1,3-dioxa-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxa-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41
Grignard reagents
Partially solvated alkylmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133
Group 4
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Hydroboration
A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139
Hydroxo bridges
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
μ-Hydroxo complexes
Novel β-iminoenolato (or β-carbonyliminato) complexes starting from di-μ-hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[NBu_4][(C_6F_5)_2Pd\{N(C_6H_4OMe\text{-}p)C(CO_2Me)CHC(O)OMe\}]$ (J. Ruiz, V. Rodriguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Indium–indium bond
The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227
Indium–selenium bond
The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227
Indium-sulphur bond
The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227
Indium–tellurium bond
The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227
Insertion
Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197
Iodination
A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139
Iron
Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153
Cryptates from 1,1'':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1
Trimethylchlorosilane-modified Clemmensen reduction of metallocenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79
Isocyanide
Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197

Lithium
The allyl group exchange reaction between tri(substituted allyl)stannyllithium and (substituted allyl)lithium (Y. Horikawa and T. Takeda), 99

Macrocyclic ligands
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167
Magnesium
Partially solvated alkylmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133
2-Mercaptoethanol
The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $Cp^*_2Zr(OCH_2CH_2SH)_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47
Metallacycle
Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197
Metallocene complexes
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211
Metallocenes
Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153
Methylthioacetyliron
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1
Mixed-valence alkyne complex
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
Molecular mechanics calculations
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Molybdenum
Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Nickel
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Nitrosyl
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

NMR
Cryptates from 1,1‴:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13

Nonlinear optics
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡$CC_6H_4NO_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡$CC_6H_4C_6H_4NO_2$-4,4′)$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Nuclear magnetic resonance
Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Olefin polymerization
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Optically active transition metal complexes
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Palladium
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167
Novel β-iminoenolato (or β-carbonyliminato) complexes starting from di-μ-hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of [NBu_4][$(C_6F_5)_2$Pd[N(C_6H_4OMe-p)C(CO_2Me)CHC(O)OMe)] (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23
Stereoselective synthesis of (E)-vinylic selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9

Pentamethylcyclopentadienyl
The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $Cp^*_2Zr(OCH_2CH_2SH)_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47

(*S*)-1-Phenylethyl substitution
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

η^2-Phosphinocarbene complexes of tungsten
Darstellung und Struktur kationischer η^2-Phosphinocarbenkomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Praseodymium
Synthesis and structural investigation of {$CpPr[CH(COOC_2H_5)_2][\mu$-$CH(COOC_2H_5)_2]]_2$ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121

Pyrazolato complexes
Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

2-Pyridinecarboxamide ligands
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Pyridine complexes
Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Quadratic hyperpolarizabilities
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡$CC_6H_4NO_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡$CC_6H_4C_6H_4NO_2$-4,4′)$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Reactions with phosphines
Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

Rearrangement
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Rhenium
Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Rhodium
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Ruthenium
Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153
Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127
Organometallic complexes for nonlinear optics VI [1]: syntheses of rigid-rod ruthenium σ-acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C≡$CC_6H_4NO_2$-4)$_2$(dppm)$_2$] and *trans*-[Ru(C≡$CC_6H_4C_6H_4NO_2$-4,4′)$_2$(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Selenium
Stereoselective synthesis of (E)-vinylic selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9
Silatrane
Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221
Silicon
Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1
Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221
Skew trapezoidal bipyramid
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75
Sonication
Partially solvated alkylmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133
Stoichiometric complexes
Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205
Structure
Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211
Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-}C_5H_4PPh_2)_2Ln(DIME)]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Synthesis
Novel β-iminoenolato (or β-carbonyliminato) complexes starting from di-μ-hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[NBu_4][(C_6F_5)_2Pd\{N(C_6H_4OMe\text{-}p)C(CO_2Me)CHC(O)OMe\}]$ (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Thallium
Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-}C_5H_4PPh_2)_2Ln(DIME)]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Tin
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
The allyl group exchange reaction between tri(substituted allyl)stannyllithium and (substituted allyl)lithium (Y. Horikawa and T. Takeda), 99
Titanium
The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $Cp_2^*Zr(OCH_2CH_2SH)_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47
Trimethylchlorosilane
Trimethylchlorosilane-modified Clemmensen reduction of metallocenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79
Trinuclear compound
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
Tungsten
Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3\text{-}O)(\mu\text{-}OH)_2(\mu\text{-}Cl)_2(O)(\eta^2\text{-}PhC{\equiv}CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63
X-ray crystal structure
Novel β-iminoenolato (or β-carbonyliminato) complexes starting from di-μ-hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[NBu_4][(C_6F_5)_2Pd\{N(C_6H_4OMe\text{-}p)C(CO_2Me)CHC(O)OMe\}]$ (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23
X-ray diffraction
A new pathway for the synthesis of 1,3-dioxa-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxa-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41
Cryptates from 1,1'':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leineweber, J.H.R. Tucker and D.J. Williams), 13
Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75
X-ray structural analyses
Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167
X-ray structure
Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221
X-ray structure analysis
Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179
Ytterbium
Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-}C_5H_4PPh_2)_2Ln(DIME)]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93
Zirconium
Stereoselective synthesis of (E)-vinylic selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9
The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $Cp_2^*Zr(OCH_2CH_2SH)_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47
Book reviews
Gmelin Handbook of Inorganic and Organometallic Chemistry (G.J. Leigh), 119